

Utah's Vital Statistics
Abortions
2000

January 30, 2001
Technical Report No. 217

For more information contact:

*Utah Department of Health
Center for Health Data*

**OFFICE OF VITAL RECORDS AND
STATISTICS
PO BOX 141012
SALT LAKE CITY UT 84114-1012**

Street Address: 288 N 1460 W

Phone: (801) 538-6843

Fax: (801) 538-7012

Email: vrequest@doh.state.ut.us

Internet address:

<http://www.health.state.ut.us/bvr>

**Barry Nangle, Ph.D.
*Director***

MISSION STATEMENT

The Office of Vital Records and Statistics
administers the statewide system of Vital Records and Statistics
by documenting and certifying the facts of births, deaths and family formation
for the legal purposes of the citizens of Utah,
participates in the National Vital Statistics Systems
and responds to the needs of health programs, health care providers, businesses,
researchers, educational institutions and the Utah public
for data and statistical information.

Preface

This 2000 report is the twenty-third in a series on legally induced abortions in Utah. Previous reports were for the years 1974-1975, 1975-1977, 1978-1980, and each year since 1981.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

The most recent series of Utah's Vital Statistics reports no longer include abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 1997," Vol. 49, No. SS-11, Atlanta, Georgia, December 8, 2000. This report can be downloaded from the Centers for Disease Control website at "<http://www.cdc.gov/mmwr/PDF/ss/ss4911.pdf>."

Utah's Vital Statistics: Abortions, 1999 was processed by the staff of the Office of Vital Records and Statistics, Utah Department of Health, under the direction of Barry Nangle, Ph.D., Director. Jeff Duncan was primarily responsible for preparation of the statistical tabulations and the manuscript was prepared for printing by Mylitta Barrett and Cynthia Robison. If you have comments or suggestions about the content and/or format of this report, please address them to one of the addresses on the title page.



Contents

<i>Page</i>	<i>Sections</i>
<i>vii</i>	<i>List of Summary Tables</i>
<i>ix</i>	<i>List of Reference Tables</i>
<i>xi</i>	<i>List of Appendices</i>
<i>S-1</i>	<i>Summary Tables</i>
<i>R-1</i>	<i>Reference Tables</i>
<i>T-1</i>	<i>Technical Appendix</i>



List of Tables

<i>Page</i>	<i>Summary Tables</i>
S-3	Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980-2000
S-3	Table 2. Abortions occurring in Utah by state of residence: 2000
S-4	Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1980 and 1990-2000
S-5	Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1979-2000
S-6	Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990-2000
S-7	Table 6. Age-specific abortion rates, residents: Utah, 1975-2000



List of Tables (cont.)

<i>Page</i>	<i>Reference Tables</i>
<i>R-3</i>	Table R1. Abortion by health district, county of residence of woman and place of occurrence: Utah 2000
<i>R-4</i>	Table R2. Abortions by health district, county of residence and age of woman: Utah, 2000
<i>R-5</i>	Table R3. Abortions by health district, county of residence and month of occurrence: Utah 2000
<i>R-6</i>	Table R4. Abortions by age and marital status of woman, residents: Utah, 2000
<i>R-6</i>	Table R5. Abortions by weeks gestation and marital status of woman, residents: Utah, 2000
<i>R-6</i>	Table R6. Abortions by age and education of woman, residents: Utah, 2000
<i>R-7</i>	Table R7. Abortions by age and race of woman, residents: Utah, 2000
<i>R-7</i>	Table R8. Abortions by weeks gestation and race of woman, residents: Utah, 2000
<i>R-8</i>	Table R9. abortions by age of woman and number of prior live births, residents: Utah, 2000
<i>R-8</i>	Table R10. Abortions by age of woman and number of prior abortions, residents: Utah, 2000
<i>R-8</i>	Table R11. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2000
<i>R-9</i>	Table R12. Abortions by age of woman and reason for termination, residents: Utah, 2000
<i>R-9</i>	Table R13. Abortions by weeks gestation and reason for termination, residents: Utah, 2000
<i>R-10</i>	Table R14. Abortions by age of woman and weeks gestation, residents: Utah, 2000
<i>R-11</i>	Table R15. Abortions by age of woman and method of termination, residents: Utah, 2000
<i>R-11</i>	Table R16. Abortions by weeks gestation and method of termination, residents: Utah, 2000

List of Tables (cont.)

<i>Page</i>	<i>Reference Tables</i>
<i>R-12</i>	Table R17. Abortions by age of woman and mention of any complications, residents: Utah, 2000
<i>R-12</i>	Table R18. Abortions by age of woman and contraceptive history, residents: Utah, 2000
<i>R-12</i>	Table R19. Abortions by age of woman and omission of contraceptive, residents: Utah, 2000
<i>R-13</i>	Table R20. Abortions by age of woman and method of contraceptive, residents: Utah, 2000
<i>R-13</i>	Table R21. Abortions by marital status of woman and method of contraceptive, residents: Utah, 2000
<i>R-14</i>	Table R22. Abortions by number of prior abortions and prior live births and method of contraceptive, residents: Utah, 2000
<i>R-14</i>	Table R23. Abortions by education of woman and method of contraceptive, residents: Utah, 2000

List of Tables (cont.)

<i>Page</i>	<i>Technical Appendix</i>
	Table
<i>T-3</i>	Technical appendix table 1. Reported abortions, occurrences out of state, residents: Utah 1981-2000
	Figure
<i>T-5</i>	State of Utah -- Department of Health report of induced termination of pregnancy

2000 Summary Tables:
Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980-2000

Year	Estimated population females ages 15-44 ¹	Resident births	Abortions			
			Occurrence number	Residents number	Rate ²	Ratio ³
1980**	339,799	41,786	4,086	3,821	11.2	91.4
1981*	351,700	41,286	3,842	3,576	10.2	86.6
1982*	361,040	41,537	3,987	3,806	10.5	91.6
1983*	368,973	39,441	3,775	3,587	9.7	90.9
1984*	374,597	38,286	4,022	3,877	10.3	101.3
1985*	378,827	37,441	4,129	3,928	10.4	104.9
1986*	382,834	36,383	4,450	4,157	10.9	114.3
1987*	385,698	35,285	4,732	4,191	10.9	118.8
1988*	387,881	36,040	4,732	4,149	10.7	115.1
1989*	390,989	35,558	4,950	4,305	11.0	121.1
1990***	395,781	36,253	4,796	4,159	10.5	114.7
1991***	410,106	36,019	4,213	3,759	9.2	104.4
1992***	423,145	37,198	3,941	3,525	8.3	94.8
1993***	436,287	37,048	3,945	3,615	8.3	97.6
1994***	451,177	38,271	3,610	3,304	7.3	86.3
1995***	463,847	39,554	3,705	3,292	7.1	83.2
1996***	475,709	42,056	3,639	3,293	6.9	78.3
1997***	486,592	43,009	3,408	3,140	6.5	73.0
1998***	492,370	45,128	3,487	3,237	6.6	71.7
1999***	498,067	46,243	3,381	3,160	6.3	68.3
2000****	526,502	47,331	3,509	3,279	6.2	69.3

¹Population projections/estimates are revised as historical data becomes available and the rates may not agree with previous reports.

²Rates are per 1,000 females 15 to 44 years of age.

³Ratios are per 1,000 live births.

*Rates for years prior to 1990 are not updated annually. Population source: Unpublished July 1 historical estimates/projections from the Utah Office of Planning and Budget, Economic and Demographic Analysis section, January 1993 and September 1994.

**Population source: April 1 U.S. Census MARS population.

***Population source: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; Projections; Long-Term Economic and Demographic Projections, November 7, 1999:

http://www.qget.state.ut.us/projections/Downloads/DownloadArea/SYA_Files/

****Source for 2000 population: U.S. Census Bureau; Table P12; Sex by Age (Female Population); Census 2000 Summary File 1 Detailed Tables for Age for the State of Utah: American Fact Finder Data Sets

Table 2. Abortions occurring in Utah by state of residence: 2000

State of Residence	Frequency	Percent
Total	237	100.0
Arizona	2	0.8
Idaho	67	28.3
Missouri	1	0.4
Montana	1	0.4
Nevada	27	11.4
New Jersey	1	0.4
Oklahoma	1	0.4
Oregon	2	0.8
Pennsylvania	1	0.4
South Dakota	1	0.4
Texas	2	0.8
Wisconsin	1	0.4
Wyoming	130	54.9

Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1980 and 1990-2000

District and county of residence	2000		Abortion ratios ¹ by year											
	Births	Abor-tions	2000	1980	1990	1991	1992	1993 ²	1994	1995 ²	1996	1997	1998	1999
Total	47,331	3,279	69.3	91.4	114.7	104.4	94.8	97.6	86.3	83.2	78.3	73.0	71.7	68.3
Bear River	2,972	97	32.6	57.3	60.9	52.1	52.7	44.2	44.0	37.3	33.1	36.7	38.9	35.5
Box Elder	776	21	27.1	35.5	29.4	40.4	41.4	35.1	38.0	21.5	28.6	26.4	44.3	33.2
Cache	2,169	76	35.0	69.3	74.7	58.0	56.3	47.9	46.9	43.3	35.1	40.9	37.3	36.7
Rich	27	0	--	--	--	--	--	--	--	--	--	--	--	0.0
Central Utah	1,123	26	23.2	21.9	36.7	46.2	40.4	31.7	29.2	29.5	24.8	14.7	20.4	18.1
Juab	177	4	--	46.4	--	--	--	--	--	--	--	--	--	0.0
Millard	183	7	38.3	--	30.4	33.3	--	--	36.5	51.0	--	--	--	22.2
Piute	17	0	--	--	--	--	--	--	--	--	--	--	--	0.0
Sanpete	367	7	19.1	18.0	26.9	65.6	37.9	--	30.1	21.9	21.2	--	19.0	27.3
Sevier	333	8	24.0	18.9	44.0	34.5	54.2	59.8	31.0	33.7	31.7	--	--	18.0
Wayne	46	0	--	--	--	--	--	--	--	--	--	--	--	0.0
Davis	4,835	281	58.1	72.3	85.5	82.4	67.5	70.6	65.8	62.9	62.1	56.7	56.6	50.8
Salt Lake	18,333	2,149	117.2	145.4	181.0	163.2	145.2	156.0	141.4	139.9	129.0	125.1	122.6	115.3
Southeastern	818	21	25.7	51.1	87.6	64.5	92.3	115.1	44.2	44.4	36.4	35.6	42.1	22.2
Carbon	301	14	46.5	68.3	128.0	99.1	159.6	155.4	86.5	77.7	75.9	64.6	87.0	55.6
Emery	172	3	--	33.3	--	--	--	69.2	--	--	--	--	--	--
Grand	111	3	--	121.8	183.5	147.7	234.0	282.1	--	70.7	--	--	--	--
San Juan	234	1	--	--	57.6	30.8	42.5	50.9	--	--	--	--	--	--
Southwest	2,857	11	3.9	6.9	12.7	7.3	6.5	8.8	5.4	5.1	6.8	2.7	2.5	2.1
Beaver	114	2	--	--	--	--	--	--	--	--	--	--	--	7.4
Garfield	58	0	--	--	--	--	--	--	--	--	--	--	--	14.3
Iron	771	5	--	--	--	--	--	--	--	--	12.9	--	--	1.3
Kane	100	0	--	--	--	--	--	--	--	--	--	--	--	0.0
Washington	1,814	4	--	--	--	--	--	11.0	5.7	--	--	--	--	1.7
Summit	473	90	190.3	273.4	349.4	340.4	319.3	247.7	245.1	282.7	211.2	231.3	237.2	201.8
Tooele	955	47	49.2	77.5	94.9	119.0	142.9	122.7	99.8	94.6	83.6	59.6	67.6	60.8
Uintah Basin	753	25	33.2	49.7	72.5	53.4	51.3	48.0	52.2	29.1	31.8	22.6	22.5	27.2
Daggett	16	0	--	--	--	--	--	--	--	--	--	--	--	0.0
Duchesne	282	7	24.8	35.9	35.3	56.9	44.4	--	48.8	--	27.7	--	35.6	33.8
Uintah	455	18	39.6	58.9	92.4	48.6	56.3	59.0	53.3	38.8	32.3	21.8	--	23.6
Utah County	9,864	234	23.7	21.1	32.4	30.2	30.8	27.7	28.1	23.6	30.1	21.4	22.0	24.8
Wasatch	310	22	71.0	104.5	105.0	75.3	75.6	46.6	--	41.5	34.6	45.6	55.8	44.1
Weber-Morgan	4,038	276	68.4	122.4	129.6	122.8	108.6	107.3	88.9	86.2	78.9	79.1	70.3	81.3
Morgan	98	3	--	--	--	--	--	--	--	96.8	--	--	--	0.0
Weber	3,940	273	69.3	125.3	132.5	125.3	110.9	109.3	91.2	85.9	79.9	80.1	71.1	83.2

¹Ratios are per 1,000 live births and are not computed for fewer than seven events.

²Abortions ratios for data years 1993 and 1995 may change slightly because birth data for these years are updated. These updates can be viewed at the web site for the Office of Vital Records and Statistics

Table 4a. Abortions, live births and ratios by marital status, residents: Utah, 1979-2000

Marital status	Year										
	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
Total*											
Induced abortions	3,489	3,821	3,576	3,806	3,587	3,877	3,928	4,157	4,191	4,149	4,305
Live births	41,078	41,786	41,286	41,537	39,441	38,286	37,441	36,383	35,285	36,040	35,558
Ratio per 1,000 live births	84.9	91.4	86.6	91.6	90.9	101.3	104.9	114.3	118.8	115.1	121.1
Married**											
Induced abortions	883	975	805	701	608	782	846	865	816	740	844
Live births	38,762	39,181	38,592	38,638	36,479	35,195	34,366	33,092	31,372	31,822	31,056
Ratio per 1,000 live births	22.8	24.9	20.9	18.1	16.7	22.2	24.6	26.1	26.0	23.3	27.2
Unmarried***											
Induced abortions	2,555	2,820	2,757	3,036	2,901	3,091	3,075	3,291	3,303	3,317	3,443
Live births	2,316	2,605	2,694	2,899	2,962	3,958	3,259	3,567	3,913	4,218	4,502
Ratio per 1,000 live births	1,003.2	1,082.5	1,023.4	1,047.3	979.4	1,045.0	943.5	922.6	844.1	786.4	764.8

Table 4b.

Marital status	Year										
	1990	1991	1992	1993 ¹	1994	1995 ¹	1996	1997	1998	1999	2000
Total*											
Induced abortions	4,159	3,759	3,525	3,615	3,304	3,292	3,293	3,140	3,237	3,160	3,279
Live births	36,253	36,019	37,198	37,048	38,271	39,554	42,056	43,009	45,128	46,243	47,331
Ratio per 1,000 live births	114.7	104.4	94.8	97.6	86.3	83.2	78.3	73.0	71.7	68.3	69.3
Married**											
Induced abortions	774	853	914	920	862	786	754	794	860	858	604
Live births	31,343	30,823	31,567	31,325	32,269	33,338	35,231	35,864	37,388	38,544	39,135
Ratio per 1,000 live births	24.7	27.7	29.0	29.4	26.7	23.6	21.4	22.1	23.0	22.3	15.4
Unmarried***											
Induced abortions	3,351	2,893	2,598	2,683	2,423	2,494	2,515	2,329	2,357	2,284	2,660
Live births	4,910	5,196	5,631	5,723	6,002	6,216	6,825	7,145	7,740	7,699	8,175
Ratio per 1,000 live births	682.5	556.8	461.4	468.8	403.7	401.2	368.5	326.0	304.5	296.7	325.4

¹Abortions ratios for data years 1993 and 1995 may change slightly because birth data for these years are updated. These updates can be viewed at the web site for the Office of Vital Records and Statistics (<http://www.health.state.ut.us/bvr/html/tables.html>)

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced and those who have never married.

Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990-2000

Year	Total all ages	Five year age groups (15 to 44 years of age)					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	395,781	76,813	69,524	68,102	69,158	61,710	50,474
1991	410,106	77,937	75,023	66,780	71,169	64,499	54,698
1992	423,145	82,450	78,372	66,298	72,135	67,539	56,351
1993	436,287	86,805	81,918	65,958	73,100	69,704	58,802
1994	451,177	91,398	84,491	67,930	73,644	71,809	61,905
1995	463,847	95,756	85,758	71,260	72,906	73,475	64,692
1996	475,709	99,538	86,578	75,991	71,062	75,233	67,307
1997	486,592	100,155	91,304	78,550	70,283	76,025	70,275
1998	492,370	100,343	94,787	80,276	68,774	76,315	71,875
1999	498,067	99,667	98,698	81,031	69,397	75,965	73,309
2000	526,502	108,357	112,706	85,742	71,737	74,188	73,772

Population source: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; Projections; Long-Term Economic and Demographic Projections, November 7, 1999: http://www.qget.state.ut.us/projections/Downloads/DownloadArea/SYA_Files/

Note: The baselines for historical population data were produced in December of 1996. The 1997 through 1999 population data are projections.

Table 6. Age-specific abortion rates, residents: Utah, 1975-2000

Year	Total all ages ¹	Age of woman ¹					
		15-19	20-24	25-29	30-34	35-39	40-44
1975*	7.2	9.9	11.2	6.9	3.9	2.5	0.8
1976*	8.2	10.8	12.9	8.0	4.7	2.7	1.2
1977*	9.4	12.4	14.3	9.4	5.8	3.3	1.3
1978*	9.3	11.3	14.8	9.9	5.3	3.2	1.1
1979*	10.6	13.4	16.7	10.8	6.0	3.9	1.5
1980**	11.2	13.5	16.8	12.8	7.4	3.8	1.1
1981*	10.2	12.3	16.5	11.2	7.1	3.0	1.4
1982*	10.5	12.5	17.4	12.2	7.5	3.5	0.8
1983*	9.7	11.5	16.1	11.1	7.1	3.7	1.1
1984*	10.3	12.5	17.7	12.7	6.4	3.5	1.5
1985*	10.4	12.2	17.8	11.7	7.8	4.3	1.3
1986*	10.9	13.3	18.6	12.8	8.2	4.2	1.0
1987*	10.9	13.2	18.3	13.5	8.3	4.4	1.6
1988*	10.7	13.6	18.5	13.3	7.7	4.2	1.4
1989*	11.0	13.4	19.7	13.9	8.5	4.3	1.2
1990**	10.5	12.6	19.7	13.2	7.8	4.1	1.5
1991***	9.2	10.7	16.8	11.6	7.1	4.0	1.3
1992***	8.3	8.6	15.3	11.5	6.5	4.0	1.1
1993***	8.3	8.3	14.9	12.0	6.5	3.9	1.2
1994***	7.3	7.1	12.6	10.6	6.5	3.8	1.3
1995***	7.1	6.3	12.3	11.0	6.6	3.7	1.2
1996***	6.9	6.6	12.3	9.7	6.9	3.2	1.3
1997***	6.4	5.7	9.4	8.2	6.0	3.5	1.2
1998***	6.5	5.8	10.7	9.1	7.1	3.4	1.2
1999***	6.3	5.8	10.6	8.9	6.2	3.4	1.4
2000****	6.2	5.3	10.4	8.4	6.0	3.4	1.1

¹Rates for total all ages are per 1,000 females 15 to 44 years of age and the abortion component includes women less than 15 years of age, 45 years and older and age unknown.

*Rates for years prior to 1990 are not updated annually. Population source: Unpublished July 1 historical estimates/projections from the Utah Office of Planning and Budget, Economic and Demographic Analysis section, January 1993 and September 1994.

**Population source: April 1 U.S. Census MARS population.

***Population source: Demographic and Economic Analysis section, Governor's Office of Planning and Budget; Projections; Long-Term Economic and Demographic Projections, November 7, 1999:
http://www.qget.state.ut.us/projections/Downloads/DownloadArea/SYA_Files/

****Source for 2000 population: U.S. Census Bureau; Table P12; Sex by Age (Female Population); Census 2000 Summary File 1 Detailed Tables for Age for the State of Utah: American Fact Finder Data Sets

2000 Reference Tables:
Abortions

Table R1. Abortion by health district, county of residence of woman and place of occurrence: Utah 2000

District and County	Total	Place of Occurrence	
		Salt Lake	Out of State
Total	3,516	3,509	7
Bear River	97	96	1
Box Elder	21	21	0
Cache	76	75	1
Rich	0	0	0
Central Utah	26	26	0
Juab	4	4	0
Millard	7	7	0
Piute	0	0	0
Sanpete	7	7	0
Sevier	8	8	0
Wayne	0	0	0
Davis	281	280	1
Salt Lake	2,149	2,148	1
Southeastern	21	20	1
Carbon	14	14	0
Emery	3	3	0
Grand	3	3	0
San Juan	1	0	1
Southwest	11	11	0
Beaver	2	2	0
Garfield	0	0	0
Iron	5	5	0
Kane	0	0	0
Washington	4	4	0
Summit	90	88	2
Tooele	47	47	0
Tri-County	25	25	0
Daggett	0	0	0
Duchesne	7	7	0
Uintah	18	18	0
Utah County	234	234	0
Wasatch	22	21	1
Weber-Morgan	276	276	0
Morgan	3	3	0
Weber	273	273	0
Out of State	237	237	0

Note: Out-of-state occurrences to residents of Utah include: Georgia 1; Idaho 2; Kansas 1; New Mexico 1; Oregon 2.

Table R2. Abortions by health district, county of residence and age of woman: Utah, 2000

District and County	Total	Under 15	Age of Woman									Un- known
			15 to 19			20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over	
			Total	15 to 17	18 to 19							
Total	3,279	37	576	193	383	1,169	719	433	254	83	8	0
Bear River	97	0	16	5	11	44	22	12	2	1	0	0
Box Elder	21	0	3	1	2	6	6	5	1	0	0	0
Cache	76	0	13	4	9	38	16	7	1	1	0	0
Rich	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	26	0	8	4	4	9	3	2	2	2	0	0
Juab	4	0	1	1	0	2	0	0	1	0	0	0
Millard	7	0	1	0	1	2	2	1	1	0	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	7	0	4	1	3	2	1	0	0	0	0	0
Sevier	8	0	2	2	0	3	0	1	0	2	0	0
Wayne	0	0	0	0	0	0	0	0	0	0	0	0
Davis	281	3	52	18	34	101	55	42	21	6	1	0
Salt Lake	2,149	25	357	112	245	775	477	289	169	53	4	0
Southeastern	21	0	5	2	3	6	7	1	1	1	0	0
Carbon	14	0	4	2	2	4	5	0	0	1	0	0
Emery	3	0	1	0	1	0	1	0	1	0	0	0
Grand	3	0	0	0	0	2	1	0	0	0	0	0
San Juan	1	0	0	0	0	0	0	1	0	0	0	0
Southwest	11	0	2	0	2	5	2	2	0	0	0	0
Beaver	2	0	1	0	1	0	0	1	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0	0	0
Iron	5	0	0	0	0	3	1	1	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0
Washington	4	0	1	0	1	2	1	0	0	0	0	0
Summit	90	0	6	3	3	17	29	13	18	6	1	0
Tooele	47	0	10	6	4	16	12	8	1	0	0	0
Tri-County	25	0	3	3	0	9	6	1	1	4	1	0
Daggett	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	7	0	0	0	0	1	2	1	0	2	1	0
Uintah	18	0	3	3	0	8	4	0	1	2	0	0
Utah County	234	5	51	11	40	78	52	28	16	4	0	0
Wasatch	22	0	7	4	3	9	3	3	0	0	0	0
Weber-Morgan	276	4	59	25	34	100	51	32	23	6	1	0
Morgan	3	0	0	0	0	3	0	0	0	0	0	0
Weber	273	4	59	25	34	97	51	32	23	6	1	0

Table R3. Abortions by health district, county of residence and month of occurrence: Utah 2000

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	3,279	285	294	283	275	254	266	267	283	270	264	278	260
Bear River	97	10	13	2	7	8	10	10	4	10	9	8	6
Box Elder	21	5	5	0	1	4	1	0	0	0	0	5	0
Cache	76	5	8	2	6	4	9	10	4	10	9	3	6
Rich	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	26	2	3	2	1	0	2	2	4	3	3	2	2
Juab	4	0	2	0	0	0	0	0	1	1	0	0	0
Millard	7	1	0	1	0	0	1	1	1	1	0	0	1
Piute	0	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	7	1	1	0	1	0	1	0	1	0	1	1	0
Sevier	8	0	0	1	0	0	0	1	1	1	2	1	1
Wayne	0	0	0	0	0	0	0	0	0	0	0	0	0
Davis	281	21	26	19	30	14	22	27	23	22	19	28	30
Salt Lake	2,149	189	191	194	182	179	176	159	178	177	176	179	169
Southeastern	21	0	3	2	1	2	2	2	1	3	3	2	0
Carbon	14	0	1	0	1	2	2	2	1	1	3	1	0
Emery	3	0	1	1	0	0	0	0	0	0	0	1	0
Grand	3	0	0	1	0	0	0	0	0	2	0	0	0
San Juan	1	0	1	0	0	0	0	0	0	0	0	0	0
Southwest	11	3	0	0	2	0	0	1	0	3	0	1	1
Beaver	2	0	0	0	0	0	0	1	0	0	0	1	0
Garfield	0	0	0	0	0	0	0	0	0	0	0	0	0
Iron	5	2	0	0	0	0	0	0	0	2	0	0	1
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	4	1	0	0	2	0	0	0	0	1	0	0	0
Summit	90	6	8	9	2	12	10	11	5	10	6	4	7
Tooele	47	7	4	2	2	7	2	3	3	3	3	7	4
Tri-County	25	2	4	4	1	2	1	2	4	2	0	3	0
Daggett	0	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	7	0	0	2	1	2	0	1	1	0	0	0	0
Uintah	18	2	4	2	0	0	1	1	3	2	0	3	0
Utah County	234	23	16	15	22	13	19	23	23	18	26	16	20
Wasatch	22	0	1	2	0	1	2	3	4	2	4	2	1
Weber-Morgan	276	22	25	32	25	16	20	24	34	17	15	26	20
Morgan	3	0	1	0	0	0	0	1	0	1	0	0	0
Weber	273	22	24	32	25	16	20	23	34	16	15	26	20

Table R4. Abortions by age and marital status of woman, residents: Utah, 2000

Age	Total	Marital Status of Woman					Un- known
		Never Married	Married	Widowed	Divorced	Separated	
Total	3,279	1,950	604	14	491	205	15
Under 15	24	23	0	0	1	0	0
Total 15 to 19	576	539	19	0	10	6	2
15-17	193	187	3	0	2	0	1
18-19	383	352	16	0	8	6	1
20-24	1,169	858	150	1	101	57	2
25-29	719	331	164	5	147	65	7
30-34	433	137	125	3	115	51	2
35-39	254	47	102	4	79	21	1
40-44	83	6	36	1	35	5	0
45 and over	8	0	5	0	3	0	0
Unknown	13	9	3	0	0	0	1

Table R5. Abortions by weeks gestation and marital status of woman, residents: Utah, 2000

Weeks	Total	Marital Status of Woman					Un- known
		Never Married	Married	Widowed	Divorced	Separated	
Total	3,279	1,950	604	14	491	205	15
Under 5	74	44	16	1	9	3	1
5-6	983	568	206	2	148	54	5
7-8	1,089	630	207	5	156	84	7
9-10	680	417	120	4	104	35	0
11-12	215	140	30	1	29	15	0
13-14	113	67	11	1	25	9	0
15-20	121	83	12	0	20	4	2
21 and Over	0	0	0	0	0	0	0
Unknown	4	1	2	0	0	1	0

Table R6. Abortions by age and education of woman, residents: Utah, 2000

Age	Total	Education of Woman			
		Under 12 Years	High School	Over 12 Years	Unknown
Total	3,279	511	1,572	1,146	50
Under 15	24	22	2	0	0
Total 15 to 19	576	246	259	65	6
15-17	193	167	19	3	4
18-19	383	79	240	62	2
20-24	1,169	125	655	382	7
25-29	719	58	323	323	15
30-34	433	33	185	206	9
35-39	254	18	102	124	10
40-44	83	7	33	41	2
45 and over	8	0	5	2	1
Others	13	2	8	3	0

Table R7. Abortions by age and race of woman, residents: Utah, 2000

Age	Race of Woman						Un-known
	Total	White	Black	Asian and Pacific Islander	Native American	Other	
Total	3,279	2,626	73	234	25	58	263
Under 15	24	17	0	2	0	0	5
Total 15 to 19	576	471	15	31	4	8	47
15-17	193	164	5	5	2	3	14
18-19	383	307	10	26	2	5	33
20-24	1,169	954	27	72	9	24	83
25-29	719	561	16	57	3	13	69
30-34	433	328	8	43	6	10	38
35-39	254	210	5	20	2	2	15
40-44	83	68	2	7	1	1	4
45 and over	8	6	0	2	0	0	0
Unknown	13	11	0	0	0	0	2

Table R8. Abortions by weeks gestation and race of woman, residents: Utah, 2000

Weeks	Race of Woman						Un-known
	Total	White	Black	Asian and Pacific Islander	Native American	Other	
Total	3,279	2,626	73	234	25	58	263
Under 5	74	61	2	7	1	1	2
5-6	983	810	19	76	3	7	68
7-8	1,089	856	28	81	7	26	91
9-10	680	538	15	44	9	7	67
11-12	215	174	3	12	1	8	17
13-14	113	86	4	6	1	6	10
15-20	121	97	2	8	3	3	8
21 and Over	0	0	0	0	0	0	0
Unknown	4	4	0	0	0	0	0

**Table R9. abortions by age of woman and number of prior live births, residents:
Utah, 2000**

Age	Prior Live Births							Un- known
	Total	None	One	Two	Three	Four	Five or More	
Total	3,279	1,384	824	635	289	95	44	8
Under 15	24	22	1	1	0	0	0	0
Total 15 to 19	576	452	107	10	4	2	0	1
15-17	193	170	20	2	0	1	0	0
18-19	383	282	87	8	4	1	0	1
20-24	1,169	547	383	184	45	6	1	3
25-29	719	224	177	190	92	31	5	0
30-34	433	96	96	132	70	23	13	3
35-39	254	30	41	92	50	23	17	1
40-44	83	6	14	23	23	10	7	0
45 and over	8	1	1	1	4	0	1	0
Unknown	13	6	4	2	1	0	0	0

**Table R10. Abortions by age of woman and number of prior abortions, residents:
Utah, 2000**

Age	Prior Abortions							Un- known
	Total	None	One	Two	Three	Four	Five or More	
Total	3,279	2,184	736	209	74	41	22	13
Under 15	24	23	0	0	0	0	0	1
Total 15 to 19	576	510	60	4	1	0	0	1
15-17	193	182	10	1	0	0	0	0
18-19	383	328	50	3	1	0	0	1
20-24	1,169	842	251	53	9	7	1	6
25-29	719	400	200	74	25	12	6	2
30-34	433	230	109	50	23	9	10	2
35-39	254	119	85	22	13	11	4	0
40-44	83	46	26	5	2	2	1	1
45 and over	8	4	3	0	1	0	0	0
Unknown	13	10	2	1	0	0	0	0

**Table R11. Abortions by weeks gestation and number of prior abortions, residents:
Utah, 2000**

Weeks	Prior Abortions							Un- known
	Total	None	One	Two	Three	Four	Five or More	
Total	3,279	2,184	736	209	74	41	22	13
Under 5	74	49	15	6	1	1	2	0
5-6	983	650	226	58	26	13	6	4
7-8	1,089	716	250	70	28	15	6	4
9-10	680	452	147	49	13	8	8	3
11-12	215	154	41	14	5	0	0	1
13-14	113	78	27	6	1	1	0	0
15-20	121	83	28	6	0	3	0	1
21 and Over	0	0	0	0	0	0	0	0
Unknown	4	2	2	0	0	0	0	0

Table R12. Abortions by age of woman and reason for termination, residents: Utah, 2000

Age	Total	Reason for Termination							Un-known
		Maternal Life Endangered	Therapeutic	Fetal Malformation	Rape	Incest	Elective	Other	
Total	3,279	8	3,206	7	44	0	4	0	10
Under 15	24	0	22	0	2	0	0	0	0
Total 15 to 19	576	1	562	1	10	0	0	0	2
15-17	193	0	187	0	5	0	0	0	1
18-19	383	1	375	1	5	0	0	0	1
20-24	1,169	0	1,143	3	17	0	2	0	4
25-29	719	2	704	1	8	0	1	0	3
30-34	433	2	426	0	4	0	0	0	1
35-39	254	2	246	2	3	0	1	0	0
40-44	83	1	82	0	0	0	0	0	0
45 and over	8	0	8	0	0	0	0	0	0
Unknown	13	0	13	0	0	0	0	0	0

Table R13. Abortions by weeks gestation and reason for termination, residents: Utah, 2000

Weeks	Total	Reason for Termination							Un-known
		Maternal Life Endangered	Therapeutic	Fetal Malformation	Rape	Incest	Elective	Other	
Total	3,279	8	3,206	7	44	0	4	0	10
Under 5	74	0	74	0	0	0	0	0	0
5-6	983	2	964	1	12	0	2	0	2
7-8	1,089	1	1,069	0	14	0	2	0	3
9-10	680	3	670	0	6	0	0	0	1
11-12	215	0	209	0	4	0	0	0	2
13-14	113	1	110	0	2	0	0	0	0
15-20	121	1	106	6	6	0	0	0	2
21 and over	0	0	0	0	0	0	0	0	0
Unknown	4	0	4	0	0	0	0	0	0

Table R14. Abortions by age of woman and weeks gestation, residents: Utah, 2000

Age	Weeks Gestation									Un- known
	Total	Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and Over	
Total	3,279	74	983	1,089	680	215	113	121	0	4
Under 15	24	0	2	8	6	2	1	5	0	0
Total 15 to 19	576	13	136	180	129	53	28	37	0	0
15-17	193	4	34	65	50	15	9	16	0	0
18-19	383	9	102	115	79	38	19	21	0	0
20-24	1,169	31	343	393	247	73	44	38	0	0
25-29	719	13	247	234	140	42	22	20	0	1
30-34	433	5	150	147	89	20	10	11	0	1
35-39	254	8	74	91	45	20	6	9	0	1
40-44	83	4	28	29	17	2	2	1	0	0
45 and over	8	0	2	2	2	1	0	0	0	1
Unknown	13	0	1	5	5	2	0	0	0	0

Table R15. Abortions by age of woman and method of termination, residents: Utah, 2000

Age	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Intra- Uterine Instillation	Hyster- ectomy	Other	Un- known
Total	3,279	201	2,968	3	107	0	0	0	0
Under 15	24	5	19	0	0	0	0	0	0
Total 15 to 19	576	62	495	0	19	0	0	0	0
15-17	193	22	167	0	4	0	0	0	0
18-19	383	40	328	0	15	0	0	0	0
20-24	1,169	64	1,057	2	46	0	0	0	0
25-29	719	37	660	0	22	0	0	0	0
30-34	433	18	404	0	11	0	0	0	0
35-39	254	12	236	1	5	0	0	0	0
40-44	83	3	77	0	3	0	0	0	0
45 and over	8	0	7	0	1	0	0	0	0
Unknown	13	0	13	0	0	0	0	0	0

Table R16. Abortions by weeks gestation and method of termination, residents: Utah, 2000

Weeks	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Intra- Uterine Instillation	Hyster- ectomy	Other	Un- known
Total	3,279	201	2,968	3	107	0	0	0	0
Under 5	74	0	70	0	4	0	0	0	0
5-6	983	0	907	2	74	0	0	0	0
7-8	1,089	2	1,060	1	26	0	0	0	0
9-10	680	3	677	0	0	0	0	0	0
11-12	215	33	182	0	0	0	0	0	0
13-14	113	66	46	0	1	0	0	0	0
15-20	121	97	24	0	0	0	0	0	0
21 and Over	0	0	0	0	0	0	0	0	0
Unknown	4	0	2	0	2	0	0	0	0

Table R17. Abortions by age of woman and mention of any complications, residents: Utah, 2000

Age	Total	Mention of any Complication		
		Yes	No	Unknown
Total	3,279	0	3,268	11
Under 15	24	0	24	0
Total 15 to 19	576	0	573	3
15-17	193	0	192	1
18-19	383	0	381	2
20-24	1,169	0	1,167	2
25-29	719	0	716	3
30-34	433	0	432	1
35-39	254	0	253	1
40-44	83	0	82	1
45 and over	8	0	8	0
Unknown	13	0	13	0

Table R18. Abortions by age of woman and contraceptive history, residents: Utah, 2000

Age	Total	Contraceptive History		
		Yes	No	Unknown
Total	3,279	2,340	915	24
Under 15	24	5	19	0
Total 15 to 19	576	386	186	4
15-17	193	113	79	1
18-19	383	273	107	3
20-24	1,169	842	317	10
25-29	719	550	163	6
30-34	433	317	114	2
35-39	254	175	77	2
40-44	83	51	32	0
45 and over	8	4	4	0
Unknown	13	10	3	0

Table R19. Abortions by age of woman and omission of contraceptive, residents: Utah, 2000

Age	Total	Omitted Contraceptive		
		Yes	No	Unknown
Total	3,279	1,425	889	965
Under 15	24	4	2	18
Total 15 to 19	576	253	127	196
15-17	193	68	46	79
18-19	383	185	81	117
20-24	1,169	544	286	339
25-29	719	307	238	174
30-34	433	180	128	125
35-39	254	98	82	74
40-44	83	33	19	31
45 and over	8	1	3	4
Unknown	13	5	4	4

Table R20. Abortions by age of woman and method of contraceptive, residents: Utah, 2000

Age	Total	Method of Contraceptive								Un-known	Not Applicable
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Other			
Total	3,279	1,031	27	94	1,246	29	15	29	43	915	
Under 15	24	2	1	0	2	0	0	0	0	19	
Total 15 to 19	576	144	1	6	263	2	0	1	8	186	
15-17	193	42	0	0	81	0	0	0	4	79	
18-19	383	102	1	6	182	2	0	1	4	107	
20-24	1,169	421	3	26	440	9	0	9	11	317	
25-29	719	265	5	20	260	7	2	5	12	163	
30-34	433	129	9	19	150	3	7	8	8	114	
35-39	254	57	4	16	95	5	5	4	3	77	
40-44	83	10	4	6	30	3	1	0	1	32	
45 and over	8	0	0	0	1	0	0	2	0	4	
Unknown	13	3	0	1	5	0	0	0	0	3	

Note: The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by marital status of woman and method of contraceptive, residents: Utah, 2000

Age	Total	Method of Contraceptive								
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Other	Un- known	Not Applicable
Total	3,279	1,031	27	94	1,246	29	15	29	43	915
Never Married	1,950	634	12	36	788	14	0	11	22	540
Married	604	161	7	23	221	5	9	12	8	166
Widowed	14	3	0	0	4	0	0	0	0	6
Divorced	491	171	8	27	169	7	4	4	3	126
Separated	205	60	0	7	62	3	2	2	5	71
Unknown	15	2	0	1	2	0	0	0	5	6

Note: The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by number of prior abortions and prior live births and method of contraceptive, residents: Utah, 2000

Births Now Living/ Prior Aabortions	Method of Contraceptive									
	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril- ization	Other	Un- known	Not Applicable
Total	3,279	1,031	27	94	1,246	29	15	29	43	915
No Live Births	1,384	435	13	23	601	3	0	8	20	379
One Live Birth	822	271	4	25	293	9	4	5	4	232
More than One Birth	1,065	323	10	46	350	17	11	16	17	303
Births Unknown	8	2	0	0	2	0	0	0	2	1
No Abortions	2,184	623	17	47	800	19	8	12	35	684
No Live Births	1,060	293	10	13	453	2	0	3	18	326
One Live Birth	512	155	1	15	175	6	1	4	3	160
More than One Birth	611	175	6	19	171	11	7	5	14	198
Births Unknown	1	0	0	0	1	0	0	0	0	0
One Abortion	736	274	5	26	299	5	6	13	5	167
No Live Births	245	105	2	5	112	0	0	4	2	43
One Live Birth	216	78	1	4	83	2	3	1	0	58
More than One Birth	273	90	2	17	104	3	3	8	3	65
Births Unknown	2	1	0	0	0	0	0	0	0	1
More Than One Abortion	346	132	4	21	144	5	1	4	1	60
No Live Births	78	37	1	5	36	1	0	1	0	9
One Live Birth	92	38	2	6	33	1	0	0	1	14
More than One Birth	176	57	1	10	75	3	1	3	0	37
Births Unknown										
Abortions Unknown	12	2	1	0	3	0	0	0	2	3
No Live Births	1	0	0	0	0	0	0	0	0	1
One Live Birth	2	0	0	0	2	0	0	0	0	0
More than One Birth	4	1	1	0	0	0	0	0	0	2
Births Unknown	5	1	0	0	1	0	0	0	2	0
Others	1	0	0	0	0	0	0	0	0	1
No Live Births										
One Live Birth										
More than One Birth	1	0	0	0	0	0	0	0	0	1
Births Unknown	0	0	0	0	0	0	0	0	0	0

Note: The totals do not add because more than one choice is possible for each number in a total.

Table R23. Abortions by education of woman and method of contraceptive, residents: Utah, 2000

Age	Method of Contraceptive									
	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril- ization	Other	Un- known	Not Applicable
Total	3,279	1,031	27	94	1,246	29	15	29	43	915
Under 12 Years	510	107	2	6	181	2	1	2	9	210
High School	1,572	498	3	46	612	14	3	12	21	450
Over 12 Years	1,146	414	19	40	439	13	9	14	13	235
Unknown	51	12	3	2	14	0	2	1	0	20

Note: The totals do not add because more than one choice is possible for each number in the total.

2000 Technical Appendix:
Abortions



Technical Appendix

The National Center for Health Statistics (NCHS), United States Department of Health and Human Services, has coordinated and supported the Vital Statistics Cooperative Program since its inception in 1914. This program provides for the exchange of a vital record between the state where the vital event occurred and the state where the person of record resides. The agreement to exchange reports of induced abortions¹ between the state where the abortion occurs and the woman's state of residence is not as well supported as other agreements like the exchange of birth and death certificates. The most current data published for the United States can be downloaded from the Centers for Disease Control website at "<http://www.cdc.gov/mmwr/PDF/ss/ss4911.pdf>."

Between 1975 and 1980, Utah's annual abortion reports were limited to resident events which occurred in Utah; however, since 1981 the Office of Vital Records and Statistics has sought and received abortion data about its residents which have occurred out of state. These numbers are small and suggest an undercount of Utah's resident abortions (Table A1). All abortions to Utah residents which are reported from other states are included in Utah's resident totals for 2000. However, we do not know if all abortions which occurred in other states to Utah residents have been reported.

Technical appendix table 1. Reported abortions, occurrences out of state, residents: Utah 1981-2000

Year	Total	CO	GA	ID	IN	KS	KY	NE	NM	OR	WA	WY	Other
1981	71	71	*	0	*	*	*	*	0	0	0	0	0
1982	62	62	*	0	*	*	*	*	0	0	0	0	0
1983	70	70	*	0	*	*	*	*	0	0	0	0	0
1984	85	85	*	0	*	*	*	*	0	0	0	0	0
1985	117	117	*	0	*	*	*	*	0	0	0	0	0
1986	110	110	*	0	*	*	*	*	0	0	0	0	0
1987	78	78	*	0	*	*	*	*	0	0	0	0	0
1988	105	103	*	1	*	*	*	*	0	0	0	1	0
1989	97	93	*	0	*	*	*	*	2	1	0	0	1
1990	99	89	*	1	*	*	*	*	1	1	6	0	1
1991	111	104	*	1	*	*	*	*	2	0	1	0	3
1992	91	83	*	3	*	*	*	*	0	0	2	0	3
1993	88	74	*	3	*	*	*	*	2	1	0	0	8
1994	84	76	*	4	*	*	*	*	1	0	0	0	3
1995	10	0	*	0	*	*	*	*	2	3	0	0	5
1996	11	0	*	2	*	*	*	*	2	3	0	0	4
1997	8	0	*	0	1	1	*	*	4	1	1	0	0
1998	10	0	*	3	0	1	1	1	1	1	1	0	0
1999	6	0	*	2	0	1	0	0	0	1	2	0	0
2000	7	0	1	2	0	1	0	0	1	2	0	0	0

*The category was not used for the specific year indicated.

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

For both the summary and reference tables, data are tabulated by health district as well as county of residence to meet the needs of district health departments.

Population data are from the Governor's Office of Planning and Budgets' Demographic and Economic Analysis section. Visit the internet site of the Demographic Data Retrieval, Analysis and Graphing system².

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

²Internet site: <http://www.qget.state.ut.us/projections/Downloads/DownloadArea/>

STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY

CONFIDENTIAL
This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.

1. PLACE where termination occurred hospital or other facility. If not in hospital or clinic, enter street address.				1b. CITY		1c. COUNTY													
2. RESIDENCE State _____ County _____ City, Village _____ Zip Code _____				3. PATIENT'S BIRTHDATE Month _____ Year _____		4. MARITAL STATUS 1 <input type="checkbox"/> Never Married 2 <input type="checkbox"/> Married 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated													
5. WAS PATIENT OF HISPANIC ORIGIN? 1 <input type="checkbox"/> Yes (If yes, Specify) _____ 2 <input type="checkbox"/> No 1 <input type="checkbox"/> Mexican 2 <input type="checkbox"/> Cuban 3 <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Other (Specify) _____				6. RACE 1 <input type="checkbox"/> White 2 <input type="checkbox"/> Black 3 <input type="checkbox"/> American Indian 9 <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> Other (Specify) _____				7. EDUCATION (Specify highest grade completed) Elementary/Secondary (0-12) College (13-16 or 17+)											
8. PREVIOUS PREGNANCIES (Complete each section) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">LIVE BIRTHS</th> <th colspan="2">OTHER PREGNANCIES</th> </tr> <tr> <td style="width:25%;">8a. Now Living</td> <td style="width:25%;">8b. Now Dead</td> <td style="width:25%;">8c. Spontaneous Terminations</td> <td style="width:25%;">8d. Induced Terminations</td> </tr> <tr> <td>Number _____ None <input type="checkbox"/></td> <td>Number _____ None <input type="checkbox"/></td> <td>Number _____ None <input type="checkbox"/></td> <td>Number _____ None <input type="checkbox"/></td> </tr> </table>				LIVE BIRTHS		OTHER PREGNANCIES		8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations	Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	9. CONTRACEPTIVE HISTORY Has the patient practiced contraception in the past year? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		10. METHODS (if "yes" to no. 9, what method(s) used?) 0 <input type="checkbox"/> Oral (pill) 5 <input type="checkbox"/> Surgical Sterilization 1 <input type="checkbox"/> Diaphragm 6 <input type="checkbox"/> Rhythm 2 <input type="checkbox"/> Foam Jelly 7 <input type="checkbox"/> Coitus Interruptus (Withdrawal) 3 <input type="checkbox"/> Condom 8 <input type="checkbox"/> Depo Provera 4 <input type="checkbox"/> IUD 9 <input type="checkbox"/> Other {Specify} _____	
LIVE BIRTHS		OTHER PREGNANCIES																	
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations																
Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>																
11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown If "Yes", which method? _____				12. ANTI-RH IMMUNE globulin indicated 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		13. ANTI-RH IMMUNE globulin given 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Patient Refused													
14. DATE OF TERMINATION Month _____ Day _____ Year _____		15. FIRST DAY OF LAST MENSTRUAL PERIOD Month _____ Day _____ Year _____		16. CLINICAL ESTIMATE OF GESTATION (Weeks) _____		17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown													
18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one) 1 <input type="checkbox"/> Suction Curettage 2 <input type="checkbox"/> Sharp Curettage (D & C) 3 <input type="checkbox"/> Dilation and Evacuation (D & E) 4 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) _____ 5 <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin) 6 <input type="checkbox"/> Hysterotomy/Hysterectomy 7 <input type="checkbox"/> Other (Specify) _____				18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply) 1 <input type="checkbox"/> Maternal Life Endangered 2 <input type="checkbox"/> Therapeutic 3 <input type="checkbox"/> Fetal Malformation 4 <input type="checkbox"/> HIV Positive 5 <input type="checkbox"/> Rape 6 <input type="checkbox"/> Incest 7 <input type="checkbox"/> Elective 8 <input type="checkbox"/> Other															
20. COMPLICATIONS (Check all that apply) 0 <input type="checkbox"/> None 2 <input type="checkbox"/> Perforation of Uterus 4 <input type="checkbox"/> Infection 6 <input type="checkbox"/> Retained Products 8 <input type="checkbox"/> Other, Specify: _____ 1 <input type="checkbox"/> Hemorrhage 3 <input type="checkbox"/> Cervical Laceration 5 <input type="checkbox"/> Anesthetic 7 <input type="checkbox"/> Death																			
21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No If "yes", Name of Hospital: _____ ADMISSION DATE: ____/____/____																			
22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				Subscribed & sworn to before me this ____ day of _____ 19____ Notary Public _____															
23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.				S E A L															
24. SIGNATURE OF PHYSICIAN _____																			
25. NAME OF PHYSICIAN (Print or Type) _____				26. DATE _____															

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC TO BE COMPLETED ON ALL INDUCED ABORTIONS

- 1) Presence of chorionic villi 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
2) Presence of decidual tissue 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
3) Presence of marked inflammatory reaction. 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
4) Presence of embryo or fetal parts. 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
5) Gross appearance of embryo 1 ☐ Normal
2 ☐ Macerated
3 ☐ Malformed - Type _____

- 6) Measurements of embryo Length _____ cms
Weight _____ gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. **Measurement of Embryo**
Heel to Toe _____ mm.
Biparietal Diameter _____ cm.
Date BPD Measured _____
2. **Complications or Post-Operative Morbidity**
00 ☐ None
01 ☐ Cardiac Arrest
02 ☐ Disseminated Intravascular Coagulation
03 ☐ Ectopic Pregnancy
04 ☐ Failed Abortion
05 ☐ Hemorrhage (less than 500 ml.)
06 ☐ Hemorrhage (500 ml. or more)
07 ☐ Incomplete abortion (retained tissue)
08 ☐ Injury to cervix
09 ☐ Pelvic Infection
10 ☐ Perforation
11 ☐ Postabortal bleeding or spotting
12 ☐ Pulmonary embolism or infarction
13 ☐ Reaction to Anesthesia - general
14 ☐ Reaction to Anesthesia - local
15 ☐ Respiratory arrest
16 ☐ Other, Specify _____
3. **Time of Complication**
1 ☐ During Procedure
2 ☐ During Recovery
3 ☐ After Discharge
4. **Management of Complication**
1 ☐ Hospitalization (immediate)
2 ☐ Hospitalization (later by Facility)
3 ☐ Hospitalization (later not by Facility)
4 ☐ Repeat Evacuation (immediate)
5 ☐ Repeat Evacuation (later at Facility)
6 ☐ Repeat Evacuation (later not at Facility)
5. **Two Week Follow-up**
1 ☐ In Facility, Normal
2 ☐ Other _____
3 ☐ Other Facility, Normal
4 ☐ Other _____
5 ☐ Examination Not Done
6 ☐ Unable to Contact
6. **Future Contraception Planned**
1 ☐ Oral (Pill)
2 ☐ IUD
3 ☐ Diaphragm
4 ☐ Other Contraception
5 ☐ None Wanted
7. **Reason for Late Abortion**
1 ☐ Woman continued to have menses
2 ☐ Afraid to tell parents, spouse, etc.
3 ☐ Denial of Pregnancy
4 ☐ Planned pregnancy, change of circumstances
5 ☐ Suspected or known fetal malformation
6 ☐ Late referral
7 ☐ Unable to afford cost earlier in pregnancy
8 ☐ Other, Specify _____